

Anywhere Bundle



Table Bundle

ITB-55KFT-552FSTPR

Bring “wow” factor to your lobby, showroom or museum with a table bundle. Our bundles are perfect for an affordable, multi-screen experience. This all-inclusive bundle package allow users to swipe images, video, and web pages from the 55” Flow-Thru InteracTable up to a 2x2 video wall safely mounted on a floor stand, no walls necessary.



2x2 NEX55MLR Video Wall.



Floor Stands & H-Mounts.



Flow-Thru InteracTable.



4K Mini PC.



Touchtech Lima.



Video Wall

4pcs NEX55MLR included.

- Razor Narrow Bezel (RNB) tiled gap of 0.88mm.
- Extended daisy-chaining of 4K/60Hz video signals in arrays up to 5 wide x 5 high.
- “Secure-Ready” = No NFC, RF, WiFi, or embedded computing.
- Able to define a “master set” for control of all displays using a single IR remote controller.
- On/Off scheduler (no separate control system required).
- Quick presets that allow you to recall source layouts with a single serial command.

Panel Attributes

Panel Technology	Commercial-grade IPS / Direct-LED back light
Bezel Width	RNB 0.88mm (combined)
Surface Treatment	Hard Coating (3H), Anti-glare treatment of front polarizer (Haze 28%)
Screen Size (diag.)	55"
Native Resolution	1920 x 1080
Active Area (mm)	1209.63 x 680.34
Brightness (typ.)	500nit
Contrast Ratio (typ.)	1,400:1 / 500,000:1 (DCR)
Displayable Colors	10bit(D), 1.07 Billion colors
Viewing Angle	178° / 178°
Aspect Ratio	16:9
Refresh Rate	60Hz

Video Wall

Dimensions, Power & Other

Dimensions (W x H x D) + Weight	47.68 x 26.84 x 3.51 (in) - 54lbs
Display Orientation	Landscape or Portrait
Heat Output (BTU/hr)	546
Mounting Pattern (mm)	600 x 400
Electrical Ratings	AC 100 - 240V (50/60Hz)
Power Consumption (typ.)	235W
Standby Power Consumption	<1W
Operating Temperature	32°F - 104°F
Operating Humidity Range	10~90%
Industrial Reliability	60,000+ Hours
Usage Ratings (hrs/days)	24/7**
Warranty	Three Years (cover 3/ quick 3)

****Consult with GPO Display regarding best practices for preventing image retention and for prolonging display lifetime.**

Connectivity

Display Port	2 x Input, 1 x Output (<i>can carry any input signal</i>)
HDMI (up to 3840 x 2160)	3 x Input
RS-232	1 x Input, 1 x Output
Ethernet (RJ45 for control & monitoring)	1 x Input
USB (for service only)	1 x Input
Audio (3.5mm jack)	1 x Output




Accessories:

- RS-232 cable x1
- DP cable x1
- AC power cord x1
- Remote control x1
- Batteries for remote control

Video Wall Floor Stand



Sometimes, structural walls aren't capable of supporting video wall displays. In these cases, GPO Display Video Wall Floor Stands are the perfect solution. Floor Stands sit on casters but also feature risers for stability and alignment adjustment. Locking rear doors ensure a clean appearance from every angle and prevents tampering with cables and display components.



Floor Stand Base



Locking Rear Doors




Casters

Product specification and design are subject to change without notice.

Copyright 2024, GPO Display All rights reserved. This document may not be copied in any form without written permission from GPO Display

Wall Mount



Four H-Mounts with Rear Doors Included in bundle.

GPO Display's proprietary H-Mounts provide virtually automatic alignment. H-Mounts' channel system allows for access to individual displays without having to dismount multiple units. The channel system's restricted range of motion helps to prevent damage to displays during installation and service. This unique design also ensures long-term alignment and eliminates display "drift", as there are no moving parts internally.

2x2 mounting grids can even be assembled on the floor prior to being placed on the wall. Side covers/trim are included for a clean, finished appearance from any angle.

Screen Size (diag.) Supported	55" (indv.) - 110" (group)
Packed Weight	185lbs (4pcs)
Array	2 x 2
Side Cover/Trim Kit	Included
Top/ Bottom Trim	Optional



Product specification and design are subject to change without notice.

Copyright 2024, GPO Display All rights reserved. This document may not be copied in any form without written permission from GPO Display

InteracTable

The Flow-Thru housing is sleek, modern, and fabricated with high quality materials. These InteracTables will impress, ultimately adding to the overall experience wherever they're used.

Tablets are an increasingly common tool in make space, InteracTables takes it a step further by presenting the same information in a bigger way. The flow-thru design allows salespeople to give customers their personal space (rather than having to crowd around a small tablet or brochure), and making customers feel that they are driving the decision-making process.

Paired with Lima, the Flow-Thru InteracTable allows you to swipe up content to your video wall seamlessly.



Product specification and design are subject to change without notice.

Copyright 2024, GPO Display All rights reserved. This document may not be copied in any form without written permission from GPO Display

4K Mini PC

TAA-Compliant- 1.3 Liter Slim PC, LGA 1200; H470 Chipset; Dual-LAN, Max 64GB DDR4 SOD-IMM; Triple Display 4K Support

Operating System	Windows 11 Pro
CPU	i5-12400 6-Core Processor
RAM	8gb (4gb*2) Total
Storage	128gb SATA III SSD
Power	90W Power Adapter
Ethernet	Intel I210AT*2 Dual Lan 10Mb/s,100Mb/s,1Gb/s Operation
Operating Temperature	0°C ~ 50°C
Audio	Realtek ALC662 High Definition Audio
WiFi Connectivity	Included*
Bluetooth	Included*
Video Output	HDMI 2.0 x 1, DisplayPort x 2 Triple video outputs
Front Panel	(2) USB 3.2 Gen1 ports (Include Type C x1) (2) USB 3.2 Gen2 ports (1) Microphone-In (1) Earphone-Out (1) Power-On button (1) Power LED (1) HDD LED (1) SD Card reader
Back Panel	(2) RJ45 Gigabit LAN port w/LED (1) HDMI port (2) Display port (2) USB 3.2 Gen1 ports (2) USB 3.2 Gen2 ports (1) RS232 (1) RS232/RS422/RS485 (1) External 4pin header (1) DC-in (2) Wireless Antenna fixture (1) Kensington lock

**Can be removed on request*



Product specification and design are subject to change without notice.

Copyright 2024, GPO Display All rights reserved. This document may not be copied in any form without written permission from GPO Display

Touchtech Lima

Lima is the perfect complement to any touch screen and is a particularly great fit for the InteracTable.

Lima allows you to quickly organize a wide range of file types (images, videos, web shortcuts, etc.) and resize them, annotate on them, or swipe them from your main surface to a 2 x 2 video wall.


Lima is a powerful presentation tool but is also a great complement to retail settings, lobbies, museums and other public spaces.

Pull Content From:

USB, Folders, Network, Dropbox

Supports:

- doc/xls/ppt/pdf
- jpg/pnh
- wmv/mov/avi
- svg



Check out this [video](#) of Lima in action



Product specification and design are subject to change without notice.

Copyright 2024, GPO Display All rights reserved. This document may not be copied in any form without written permission from GPO Display