



Visual solutions created for *you*

DK75N



4K/Ultra-HD

Commercial Monitor


Our 4K/Ultra HD monitors offer four times the resolution of Full HD along with 24/7/365 reliability. As with all of our Commercial LCDs, customizable housing allows these displays to fit into existing interior design seamlessly.



Highlights

DK75N

Sleek, unbranded, black powder-coated metal housing.




"Secure-Ready" = No NFC, RF, WiFi, or embedded computing.



24/7-rated.



Video wall-capable (DP output and video wall mode).



Panel Attributes

Panel Technology	Commercial-grade IPS LED-LCD
Surface Treatment	Hard coating (3H), Anti-glare treatment of the front polarizer (Haze 28% typ.)
Screen Size (diag.)	75"
Native Resolution	3840 x 2160
Active Area (mm)	1649.66 x 927.94
Brightness (typ.)	500nit
Contrast Ratio (typ.) / DCR	1,000:1 / 1,000,000:1
Displayable Colors	1.07 Billion, 8bit + FRC
Viewing Angle	178°/ 178°
Aspect Ratio	16:9
Refresh Rate	120Hz

Dimensions, Power & Other

Display Dimensions (W x H x D) + Weight	67.06 x 38.65 x 2.95 (in) - 139lbs
Packed Dimensions (W x H x D) + Weight	71.57 x 44.57 x 11.81 (in) - 159lbs
Display Orientation	Landscape or Portrait
Heat Output (BTU/hr)	614
Mounting Pattern (mm)	600 x 400
Electrical Ratings	AC 100 - 240V (50/60Hz)
Power Consumption (typ.)	200W
Standby Power Consumption	<1W
Operating Temperature	32°F - 122°F
Operating Humidity Range	20~90%
Industrial Reliability	50,000+ Hours
Usage Ratings (hrs/days)	24/7**
Warranty	Two Years (parts & labor)

****Consult with GPO Display regarding best practices for preventing image retention and for prolonging display lifetime.**

Connectivity

HDMI	3 x Input
DisplayPort	2 x Input; 1 x Output
RS-232	1 x Input; 1 x Output
USB Type-A	1 x Service Use Only
RJ45 / LAN	Optional: 1 x Input (for control & monitoring)
AC Power Inlet	1 x Input
Audio Out	1 x 3.5 mm Jack; Built-in Speaker 10 W x 2

Accessories:

- RS-232 cable x1
- HDMI cable x1
- AC Power Cord x1
- Remote Control x1
- Batteries for remote control

Includes:

- Serial Control Software

Options:

- Custom Logos
- Custom Housing Colors
- Anti-Glare Protective Glass
- Tempered Glass

