



Visual solutions created for *you*

Classic Kiosk



The Mobile “Digital Poster”

This design features a portrait-oriented LCD in upright, sleek metal housing.


There is ample space for third-party PCs, media players and other devices in the cabinet below the main display.




Highlights

Classic Kiosk


Sleek, unbranded, black powder-coated metal housing.
OR
White, semi-gloss metal housing.




Built-in speakers (10W x 2).



3T Protective tempered glass.



Lockable compartment with room for third party devices
(media players/ PCs).



“Secure-Ready” = No NFC, RF, WiFi, or embedded computing.



24/7-rated.



Panel Attributes

Screen sizes (diag.)	43" / 49" / 55" / 65"
Panel Technology	Commercial-grade IPS / LED-back lit LCD
Resolution	3840 x 2160
Brightness (typ.)	500nit
Viewing Angle	178° / 178°
Aspect Ratio	16:9
Refresh Rate	60Hz

Dimensions, Power & Other

Display Orientation	Portrait
Electrical Ratings	AC100 -240V (50/60Hz)
Operating Temperature	32°F -104°F
Operating Humidity Range	20~80%
Industrial Reliability	50,000+ Hours
Usage Rating (hrs/days)	24/7
Warranty	One year (parts & labor)

Connectivity

HDMI	3 x Input
DisplayPort	2 x Input, 1 x Output
RS-232	1 x Input, 1 x Output
Audio Out	1 x 3.5mm

Touch Specification

Technology	Projected Capacitive Touch
Glass	3mm Tempered Glass
Simultaneous Touch Points	10 pt
Touch Accuracy	2mm
Response Time	16ms
Interface	USB 2.0, HID-Compliant, Plug & Play
Supported OS	Windows / Android / Mac* / Linux (1pt)
Detection Method	Finger, gloved hand or any other pointer
Min. Touch Object Size	9mm

*Drivers may be required for Mac OS. Contact GPO Display for more information.

Accessories:

- RS-232 cable x1
- DP cable x1
- AC power cord x1
- Remote control x1
- Batteries for remote control
- Key for locking compartment

Options:

- Front and rear displays (dual-sided)
- Custom logos
- Custom housing design and color
- 10pt PCAP touch
- Built-in mini PC
- Android media player

TAA-Compliant 4K Mini PC - 1.3 Liter Slim PC, LGA 1200; H470 Chipset; Dual-LAN, Max 64GB DDR4 SODIMM; Triple Display 4K Support

Operating System	Windows 11 Pro
CPU	i5-12400 6-Core Processor
RAM	8gb (4gb*2) Total
Storage	128gb SATA III SSD
Power	90W Power Adapter
Ethernet	Intel I210AT*2 Dual Lan 10Mb/s,100Mb/s,1Gb/s Operation
Operating Temperature	0°C ~ 50°C
Audio	Realtek ALC662 High Definition Audio
WiFi Connectivity	Included*
Bluetooth	Included*
Video Output	HDMI 2.0 x 1, DisplayPort x 2 Triple video outputs
Front Panel	(2) USB 3.2 Gen1 ports (Include Type C x1) (2) USB 3.2 Gen2 ports (1) Microphone-In (1) Earphone-Out (1) Power-On button (1) Power LED (1) HDD LED (1) SD Card reader
Back Panel	(2) RJ45 Gigabit LAN port w/LED (1) HDMI port (2) Display port (2) USB 3.2 Gen1 ports (2) USB 3.2 Gen2 ports (1) RS232 (1) RS232/RS422/RS485 (1) External 4pin header (1) DC-in (2) Wireless Antenna fixture (1) Kensington lock

**Can be removed on request*

