



Visual solutions created for *you*

DK65N-A



4K/Ultra-HD


Commercial Monitor

Our 4K/Ultra HD monitors offer four times the resolution of Full HD along with 24/7/365 reliability. As with all of our Commercial LCDs, customizable housing allows these displays to fit into existing interior design seamlessly.



Highlights

DK65N-A



Housing

Sleek, unbranded,
black powder-
coated metal




Secure-Ready

No NFC, RF, WiFi,
Bluetooth or
embedded
computing



24/7 Rated

For demanding
applications



Video Wall- Capable

DP output and
video wall mode

Specifications

DK65N-A

Panel Attributes

Panel Technology	Commercial-grade LED-LCD
Surface Treatment	Hard coating (3H), Anti-glare treatment (Haze 25%)
Screen Size (diag.)	65"
Native Resolution	3840 × 2160
Active Area (mm)	1428.48 × 803.52
Brightness (typ.)	500nit
Contrast Ratio (typ.)	4,000:1
Displayable Colors	1.07 Billion, 10bit (D)
Viewing Angle	178°/ 178°
Aspect Ratio	16:9
Refresh Rate	60Hz

Dimensions, Power & Other

Display Dimensions (W x H x D) + Weight	58.09 × 33.75 × 2.6 (in.) - 86 lbs
Packed Dimensions (W x H x D) + Weight	64.17 × 40.94 × 11.02 (in) - 95 lbs
Display Orientation	Landscape or Portrait
Heat Output (BTU/hr)	512
Mounting Pattern (mm)	600 × 400, M8
Built in Speaker	Yes
Electrical Ratings	AC 100–240V (50/60Hz)
Power Consumption (typ.)	260W
Standby Power Consumption	<1W
Operating Temperature	32°F–95°F
Operating Humidity Range	10~80%
Industrial Reliability	50,000+ Hours
Usage Ratings (hrs/days)	24/7**
Warranty	Two Years (parts & labor)

****Consult with GPO Display regarding best practices for preventing image retention and for prolonging display lifetime.**

Connectivity

HDMI	2 × Input
DisplayPort	2 × Input, 1 × Output
RS-232	1 × Input, 1 × Output
RJ45	1 × Input
Audio Out**	1 × 3.5 mm Jack; Built-in Speaker 10 W × 2

**** Supports IR daisy chain for remote control**

Accessories:

- (1) RS-232 cable
- (1) HDMI cable
- (1) AC Power Cord
- (1) Remote Control
- (2) AAA batteries


Includes:

- Serial Control Software


Options:

- Custom Logos
- Custom Housing Colors
- Anti-Glare Protective Glass
- Tempered Glass

Front View



Rear View



Product specification and design are subject to change without notice.

Copyright 2026, GPO Display All rights reserved. This document may not be copied in any form without written permission from GPO Display

